
Operations

Fully Closed



Tilted



Tilted & Fully Closed



Flexible installation methods are available with wall mounting and free standing installations and they can even be served as a roof for existing frameworks.




Self Standing
Single Module




Self Standing
Multiple Modules







Wall Mounting
Single Module



Wall Mounting
Multiple Modules





Blocked assembly for customized modules with a wide range of flexible combinations.



(w) Width
135 cm < 450 cm

(p) Projection
122 cm < 800 cm



(h) Height
300 cm



(w) Width
270 cm < 900 cm

(p) Projection
244 cm < 1600 cm


(h) Height
300 cm



(w) Width
540 cm < 1800 cm

(p) Projection
122 cm < 800 cm

(h) Height
300 cm




Closures



Sliding Glass System

The combination of the sliding glass system with Axis ensures efficaciously protection from wind and rain. The aluminium frames which cover each glass panel provide maximum safety standards and practicality with elegance details.





Vertex Zip System

The minimalist, slimline, contemporary design of the zip system provides comfortable shade and protects against the UV rays. The system includes motorised painted aluminium structure, entirely powder-coated with stainless steel bolts and screws.



Sapphire Glass System

Sapphire can be adapted to Axis system and offers a maximum clear span that provides unobstructed view & minimalistic style with no vertical frames. The system is operated by just the touch of button.